

Applicants: Janaswamy Madhusudana Rao et al.  
 Serial No.: 10/695,471  
 Filed : October 28, 2003  
 Page 4

Please replace Table 8 on page 18 of the subject application with the following table:

TABLE 8: RESULTS OF THE SYNERGISTIC EFFECT STUDY

S. No.	Details of Batch	Ulcer Index
1	HF2 without <i>Aloe barbadensis</i>	26.6
2	HF2 without <del>Asperagus</del> <i>Asparagus racemosus</i>	11.6
3	HF2 without <i>Glycyrrhiza glabra</i>	15.0
4	HF2 without <del>Seaamum</del> <i>Sesamum indicum</i>	20.0
5	HF2 without <i>Evolvulus alisnoides</i>	13.3
6	HF2 without <i>Trachyspermum roxburghianum</i>	20.0
7	HF2 without <i>Embelica ribes</i>	8.3
8	HF2 without <i>Coriandrum sativum</i>	10.0
9	HF2 without <i>Cyclea peleta peltata</i>	11.66
10	HF2 without <i>Ferula asafetida</i>	13.0
11	HF2 without <i>Musa sapientum</i>	20.0

TABLE 9: COMPOSITION OF THE HERBAL COMPOSITIONS HF3, HF4 AND HF5

HF3	HF4	HF5
1. <i>Asperagus</i> <del>Asparagus</del> <i>racemosus</i>	1. <i>Asperagus</i> <del>Asparagus</del> <i>racemosus</i>	1. <i>Asperagus</i> <del>Asparagus</del> <i>racemosus</i>
2. <i>Glycyrrhiza glabra</i>	2. <i>Glycyrrhiza glabra</i>	2. <i>Glycyrrhiza glabra</i>
3. <del>Seaamum</del> <i>Sesamum indicum</i>	3. <del>Seaamum</del> <i>Sesamum indicum</i>	3. <del>Seaamum</del> <i>Sesamum indicum</i>
4. <i>Musa sapientum</i> and	4. <i>Musa sapientum</i>	4. <i>Musa sapientum</i>
5. <del>Trachyaparmum</del> <i>roxburghieinum</i>	5. <del>Trachyaparmum</del> <i>roxburghieinum</i>	5. <del>Trachyaparmum</del> <i>roxburghieinum</i>
<i>Trachyspermum roxburghianum</i>	<i>Trachyspermum roxburghianum</i>	<i>Trachyspermum roxburghianum</i>
All in equal proportions	6. <i>Evolvulus alsinodes</i> and	<i>Evolvulus alsinodes</i>
	7. <i>Ferula asafetida</i> <del>asafoetida</del>	6. <i>Ferula asafetida</i> <del>asafoetida</del>
	All in equal proportions	7. <i>Coriandrum sativum</i>
		8. <i>Cyclea peleta peltate</i> and
		9. <i>Aloe barbadensis</i>
		All in equal proportions